


Test Results


Test1 comprises of Best Effort Test: -provides background information.

Download Speed

17619 Kbps



Download speed  achieved during the test was - **17619 Kbps**

For your connection, the acceptable range of speeds  is **1000-99999 Kbps**.

Additional Information:

Your DSL Connection Rate :**21010 Kbps**(DOWN-STREAM), **1104 Kbps**(UP-STREAM)

IP Profile for your line is - **17000 Kbps**

The throughput of Best Efforts (BE) classes achieved during the test is - **15.99:23.38:60.63 (SBE:NBE:PBE)**

These figures represent the ratio while sententionously passing Sub BE, Normal BE and Priority BE marked traffic.

The results of this test will vary depending on the way your ISP has decided to use these traffic classes.

If you wish to discuss these results please contact your ISP.

If you are experiencing problems with specific applications, servers or websites please contact your ISP for assistance.

Your test has completed please close this window to exit the performance tester.

Please visit [FAQ](#) section if you are unable To understand the test results.

Broadband

Notes: If your download speed lies in this range then your connection seems to be working fine.
Notes: The Download Speed is the average rate that was achieved during this test.
Notes: Your line is configured to the maximum rate that it can support or at your chosen fixed rate, this is known as the line rate and would be viewed through your CPE software or in your router configuration. Your IP profile is always less than the line rate and is normal on any network.
Notes: If your download speed lies in this range then your connection seems to be working fine.
Notes:

The Download Speed is the average rate that was achieved during this test.

Notes:

Your line is configured to the maximum rate that it can support or at your chosen fixed rate, this is known as the line rate and would be viewed through your CPE software or in your router configuration.

Your IP profile is always less than the line rate and is normal on any network.