

18:07:29, 03 Feb. (143.240000) WAN operating mode is VDSL
18:07:29, 03 Feb. (143.240000) Last WAN operating mode was VDSL
18:07:26, 03 Feb. (141.080000) PPP IPCP Receive Configuration ACK
18:07:26, 03 Feb. (141.020000) PPP IPCP Send Configuration Request
18:07:26, 03 Feb. (141.000000) PPP IPCP Receive Configuration NAK
18:07:26, 03 Feb. (140.240000) PPP IPCP Send Configuration ACK
18:07:26, 03 Feb. (140.230000) PPP IPCP Receive Configuration Request
18:07:25, 03 Feb. (140.110000) PPP IPCP Send Configuration Request
18:07:23, 03 Feb. (138.050000) PPPoE is up - Down Rate=74245Kbps, Up
Rate=19999Kbps; SNR Margin Down=4.0dB, Up=7.8dB
18:07:23, 03 Feb. (138.030000) CHAP authentication successful
18:07:23, 03 Feb. (137.980000) CHAP Receive Challenge
18:07:23, 03 Feb. (137.980000) Starting CHAP authentication with peer
18:07:23, 03 Feb. (137.980000) PPP LCP Receive Configuration ACK
18:07:23, 03 Feb. (137.970000) PPP LCP Send Configuration Request
18:07:23, 03 Feb. (137.970000) PPP LCP Receive Configuration Reject
18:07:23, 03 Feb. (137.970000) PPP LCP Send Configuration ACK
18:07:23, 03 Feb. (137.960000) PPP LCP Receive Configuration Request
18:07:23, 03 Feb. (137.960000) PPP LCP Send Configuration Request
18:06:30, 03 Feb. (84.530000) PTM over DSL is up
18:05:41, 03 Feb. (35.520000) WAN Auto-sensing running.
01:17:26, 02 Feb. (32795.220000) WAN operating mode is VDSL
01:17:26, 02 Feb. (32795.220000) Last WAN operating mode was VDSL
01:17:25, 02 Feb. (32793.680000) PPP IPCP Receive Configuration ACK
01:17:25, 02 Feb. (32793.670000) PPP IPCP Send Configuration Request
01:17:25, 02 Feb. (32793.660000) PPP IPCP Receive Configuration NAK
01:17:24, 02 Feb. (32792.950000) PPP IPCP Send Configuration ACK
01:17:24, 02 Feb. (32792.950000) PPP IPCP Receive Configuration Request
01:17:24, 02 Feb. (32792.490000) PPP IPCP Send Configuration Request
01:17:22, 02 Feb. (32791.010000) PPPoE is up - Down Rate=74432Kbps, Up
Rate=19999Kbps; SNR Margin Down=4.2dB, Up=7.8dB
01:17:22, 02 Feb. (32790.990000) CHAP authentication successful
01:17:22, 02 Feb. (32790.940000) CHAP Receive Challenge
01:17:22, 02 Feb. (32790.940000) Starting CHAP authentication with peer
01:17:22, 02 Feb. (32790.930000) PPP LCP Receive Configuration ACK
01:17:22, 02 Feb. (32790.930000) PPP LCP Send Configuration Request
01:17:22, 02 Feb. (32790.920000) PPP LCP Receive Configuration Reject
01:17:22, 02 Feb. (32790.920000) PPP LCP Send Configuration ACK
01:17:22, 02 Feb. (32790.920000) PPP LCP Receive Configuration Request
01:17:22, 02 Feb. (32790.920000) PPP LCP Send Configuration Request
01:02:30, 02 Feb. (31899.390000) PPPoE is down after 529 minutes uptime
[Disconnected]
01:02:28, 02 Feb. (31896.700000) PPP LCP Send Termination Request [Peer not
responding]
16:13:10, 01 Feb. (139.080000) WAN operating mode is VDSL
16:13:10, 01 Feb. (139.080000) Last WAN operating mode was VDSL
16:13:08, 01 Feb. (137.530000) PPP IPCP Receive Configuration ACK
16:13:08, 01 Feb. (136.900000) PPP IPCP Send Configuration Request
16:13:08, 01 Feb. (136.880000) PPP IPCP Receive Configuration NAK
16:13:07, 01 Feb. (136.090000) PPP IPCP Send Configuration ACK

16:13:07, 01 Feb. (136.090000) PPP IPCP Receive Configuration Request
16:13:06, 01 Feb. (135.680000) PPP IPCP Send Configuration Request
16:13:05, 01 Feb. (134.270000) PPPoE is up - Down Rate=74432Kbps, Up
Rate=19999Kbps; SNR Margin Down=4.1dB, Up=7.8dB
16:13:05, 01 Feb. (134.250000) CHAP authentication successful
16:13:05, 01 Feb. (134.210000) CHAP Receive Challenge
16:13:05, 01 Feb. (134.210000) Starting CHAP authentication with peer
16:13:05, 01 Feb. (134.200000) PPP LCP Receive Configuration ACK
16:13:05, 01 Feb. (134.200000) PPP LCP Send Configuration Request
16:13:05, 01 Feb. (134.190000) PPP LCP Receive Configuration Reject
16:13:05, 01 Feb. (134.190000) PPP LCP Send Configuration ACK
16:13:05, 01 Feb. (134.190000) PPP LCP Receive Configuration Request
16:13:05, 01 Feb. (134.180000) PPP LCP Send Configuration Request
16:12:14, 01 Feb. (83.020000) PTM over DSL is up
16:11:23, 01 Feb. (32.500000) WAN Auto-sensing running.
15:37:47, 01 Feb. (138.930000) WAN operating mode is VDSL
15:37:47, 01 Feb. (138.930000) Last WAN operating mode was VDSL
15:37:45, 01 Feb. (137.110000) PPP IPCP Receive Configuration ACK
15:37:45, 01 Feb. (137.110000) PPP IPCP Send Configuration Request
15:37:45, 01 Feb. (137.100000) PPP IPCP Receive Configuration NAK
15:37:45, 01 Feb. (137.100000) PPP IPCP Send Configuration ACK
15:37:45, 01 Feb. (137.090000) PPP IPCP Receive Configuration Request
15:37:45, 01 Feb. (137.090000) PPP IPCP Send Configuration Request
15:37:43, 01 Feb. (135.660000) PPPoE is up - Down Rate=74484Kbps, Up
Rate=19999Kbps; SNR Margin Down=4.0dB, Up=7.8dB
15:37:43, 01 Feb. (135.640000) CHAP authentication successful
15:37:43, 01 Feb. (135.600000) CHAP Receive Challenge
15:37:43, 01 Feb. (135.600000) Starting CHAP authentication with peer
15:37:43, 01 Feb. (135.600000) PPP LCP Receive Configuration ACK
15:37:43, 01 Feb. (135.590000) PPP LCP Send Configuration Request
15:37:43, 01 Feb. (135.590000) PPP LCP Receive Configuration Reject
15:37:43, 01 Feb. (135.590000) PPP LCP Send Configuration ACK
15:37:43, 01 Feb. (135.580000) PPP LCP Receive Configuration Request
15:37:43, 01 Feb. (135.580000) PPP LCP Send Configuration Request
15:36:52, 01 Feb. (84.630000) PTM over DSL is up
15:36:02, 01 Feb. (34.200000) WAN Auto-sensing running.
15:23:58, 01 Feb. (136.850000) WAN operating mode is VDSL
15:23:58, 01 Feb. (136.850000) Last WAN operating mode was VDSL
15:23:56, 01 Feb. (135.430000) PPP IPCP Receive Configuration ACK
15:23:56, 01 Feb. (135.410000) PPP IPCP Send Configuration Request
15:23:56, 01 Feb. (135.390000) PPP IPCP Receive Configuration NAK
15:23:55, 01 Feb. (134.700000) PPP IPCP Send Configuration ACK
15:23:55, 01 Feb. (134.700000) PPP IPCP Receive Configuration Request
15:23:55, 01 Feb. (134.660000) PPP IPCP Send Configuration Request
15:23:54, 01 Feb. (133.320000) PPPoE is up - Down Rate=74526Kbps, Up
Rate=19999Kbps; SNR Margin Down=4.1dB, Up=7.8dB
15:23:54, 01 Feb. (133.300000) CHAP authentication successful
15:23:54, 01 Feb. (133.270000) CHAP Receive Challenge
15:23:54, 01 Feb. (133.270000) Starting CHAP authentication with peer
15:23:54, 01 Feb. (133.260000) PPP LCP Receive Configuration ACK

15:23:54, 01 Feb. (133.260000) PPP LCP Send Configuration Request
15:23:54, 01 Feb. (133.250000) PPP LCP Receive Configuration Reject
15:23:54, 01 Feb. (132.880000) PPP LCP Send Configuration ACK
15:23:54, 01 Feb. (132.870000) PPP LCP Receive Configuration Request
15:23:54, 01 Feb. (132.870000) PPP LCP Send Configuration Request
15:23:03, 01 Feb. (82.020000) PTM over DSL is up
15:22:12, 01 Feb. (31.730000) WAN Auto-sensing running.